


Anti Climb Fence

Anti Climb Fence

Ideal for: prisons, military compound, power facilities, etc



- A** BOLT **B** FLAT BAR **C** WIRE **D** POST

Anti Climb Fence	
Height	0.6m-3.0m (Suggest size : 1.8m/2m/2.2m)
Width	2.0m-3.0m (Suggest size : 2.2m/2.5m/3m)
Wire diameter	4mm
Mesh opening	12.7x76.2mm
Round post	48x1.5/2.0mm 60x1.5/2.0mm
Square post(SHS)	50x50x1.5/2.0mm,60x60x1.5/2.0mm,80x80x1.5/2.0mm
Surface treatment	Hot dipped galvanized, galvanized+powder coated, galvanized+PVC coated
Color	RAL 6005 green, RAL 7016 gray, All RAL color can be customized

Style



Details



Detail 1



Detail 2



Detail 3




Detail 4

3D Welded Wire Mesh Fence

3D Welded Wire Mesh Fence

Mainly used for security protection in construction site, residential building, sports field, farm, warehouse, garden, highway or airport service area, railway station, etc.



3D Welded Wire Mesh Fence			
Height	1.83, 2.13, 2.43m etc.	Mesh hole	50×100mm, 50×150mm, 50×200mm
Width	2.2, 2.5m etc.	Wire diameter	4mm, 5mm etc.
Square post	50×50mm, 40×60mm, 60×60mm, thickness: 1-2mm		
Round post	Φ48mm, Φ60mm, thickness: 1.2-2mm		
Peach post	50×70mm, 70×100mm, thickness: 1, 1.2mm		
Accessories	Clamp, screw		
Surface	Galvanized, galvanized + powder coated, galvanized + PVC coated (All colors in RAL)		

Style



3DMF-01



3DMF-02



3DMF-03



3DMF-04


Details



Double Wire Fence

Double Wire Fence

Application: along the roadside, residential communities, parks, football fields, gardens, zoo animals, etc



A CAP **B** WIRE **C** CLAMP **D** BOLT **E** POST

Double Wire Fence	
Height	1.53m, 1.83m, 2.03m, 2.23m, 2.43m
Width	2m, 2.5m, 3m
Wire diameter	6/5/6mm, 8/6/8mm
Mesh opening	50×100mm, 50×150mm, 50×200mm, 55×200mm, 75×100mm
Round post	48 OD×1.2/1.5/2.0mm, 60 OD×1.2/1.5/2.0mm
Square post(SHS)	50×50×1.2/1.5/2.0mm, 60×60×1.2/1.5/2.0mm, 80×80×1.2/1.5/2.0mm
Rectangular post	40×60×1.2/1.5/2.0mm, 60×80×1.2/1.5/2.0mm
Surface treatment	Hot dipped galvanized, galvanized + powder coated, galvanized + PVC coated

Style



DWF-01



DWF-02

Details



Detail 1



Detail 2



Detail 3



Detail 4




Detail 5

Steel Fence

Steel Fence

Ideal for: yards, garden, airports, power plants & substations, petroleum & chemical facilities, factories



A CAP **B** BOLT **C** NUT **D** PICKET **E** RAIL **F** POST

Steel Fence	
Top point	Spear top/flat top/spearhead top/bent top
Panel size	1.8x2.4m (6x8ft), 2.1x2.4m (7x8ft), 2.4x2.4m (8x8ft), etc
Rail size	40x40mm, 30x30mm, 50x50mm, etc
Picket size	19x19mm, 20x20mm, 25x25mm, etc
Post size	60x60mm, 50x50mm, 70x70mm, 75x75mm, etc
Accessories	Bolts&nuts, screws
Surface treatment	Hot dipped galvanized + powder coated

Style




Accessories show



Steel Fence

Steel Fence

Ideal for: yards, garden, airports, power plants & substations, petroleum & chemical facilities, factories



A CAP **B** BOLT **C** NUT **D** PICKET **E** RAIL **F** POST

Steel Fence	
Top point	Spear top/flat top/spearhead top/bent top
Panel size	1.8x2.4m (6x8ft), 2.1x2.4m (7x8ft), 2.4x2.4m (8x8ft), etc
Rail size	40x40mm, 30x30mm, 50x50mm, etc
Picket size	19x19mm, 20x20mm, 25x25mm, etc
Post size	60x60mm, 50x50mm, 70x70mm, 75x75mm, etc
Accessories	Bolts&nuts, screws
Surface treatment	Hot dipped galvanized + powder coated

Style



SF-06



SF-07



SF-08



SF-09

Accessories show



Clamp 1



Clamp 2



Clamp 3



Clamp 4



Clamp 5



Clamp 6



Cap 1



Cap 2



Cap 3



Cap 4



Cap 5




Ring

Chain Link Fence

Chain Link Fence

Ideal for: warehouse, industrial, security, residential, parks, playgrounds, court.




- | | | | | |
|--------------------------|-----------------------|----------------------|----------------------|----------------------|
| A CHAIN LINK MESH | B TENSION BAND | C BARBED WIRE | D RAIL | E SINGLE ARM |
| F TENSION WIRE | G FLAT BAR | H BRACE BAND | I CORNER POST | J NORMAL POST |

Chain Link Fence

Chain link mesh	50×50, 60×60, 70×70mm etc. wire diameter: 2-4mm
Corner post	Φ48, Φ60mm etc. thickness: 1.2-2mm
Normal post	Φ38, Φ42, Φ48, Φ60mm, thickness: 1.2-2mm
Support post	Φ48, Φ60mm etc. thickness: 1.2-2mm
Rail	Φ32, Φ38, Φ42, Φ48mm etc. thickness: 1-2mm
Flar bar	19, 25mm, thickness: 2.75mm etc.
Accessories	Brace band, tension band, flat bar, tensioner, tension wire, rail end, rail sleeve, barbed wire, razor wire, single arm, double arm
Surface	Hot dipped galvanized or electric galvanized + PVC coated (all colors in ral)

Style




Accessories show



BRC Fence

BRC Fence

Application: parking lots, residential communities, bridges, facilities, amusement parks, gas stations, and etc



BRC Fence	
Height	0.9 - 2.4m
Width	1.5 - 3m
Wire diameter	3.5mm, 4.0mm, 4.5mm, 5.0mm
Mesh opening	50×150mm, 50×200mm, etc
Round post	48 OD×1.2/1.5/2.0mm, 60 OD×1.2/1.5/2.0mm
Square post(SHS)	50×50×1.2/1.5/2.0mm, 60×60×1.2/1.5/2.0mm, 80×80×1.2/1.5/2.0mm
Rectangular post	40×60×1.2/1.5/2.0mm, 40×80×1.2/1.5/2.0mm, 60×80×1.2/1.5/2.0mm
Surface treatment	Hot dipped galvanized, galvanized + powder coated, galvanized + PVC coated

Style




Details



Australia Temporary Fence

Australia Temporary Fence

Ideal for: construction, festivals and events, emergency service



Australia Temporary Fence	
Height	2.1m
Width	2.4m
Wire diameter	3mm, 3.5mm, 4mm
Mesh hole	60x150mm
Frame tube	32mm, 1.2mm, 2mm
Surface treatment	Galvanized

Style



ATF-01



ATF-02

Accessories show



Clamp



Base 1



Base 2



Base 3



Base 4



Base 5

Chain Link Temporary Fence

Chain Link Temporary Fence


Ideal for: temporary walkways, public events, landscaping, road work construction, utility works, events



A FRAME TUBE **B** CHAIN LINK WIRE **C** BASE

Chain Link Temporary Fence	
Material	Hot dipped galvanized steel
Height	1.2m,1.8m,2.4m or customized size
Width	3m, 3.6m or customized size
Wire diameter	2.5mm, 2.7mm, 3mm, 3.5mm, 4mm, etc
Mesh size	50x50mm,57x57mm,60x60mm,etc
Frame tube O.D	32mm, 38mm, 42mm,etc
Vertical/cross brace tube O.D	25mm, 32mm, etc
Fence base/stand	610x610mm, 762x460mm etc


Style



CLTF-01



CLTF-02



CLTF-03



CLTF-04



CLTF-05



CLTF-06

Accessories show



Clamp



Screen



Base 1



Base 2



Base 3



Base 4




Base 5

Canada Temporary Fence


Canada Temporary Fence

Ideal for: temporary walkways, public events, landscaping, road work construction, utility works, events




Canada Temporary Fence	
Material	Hot dipped galvanized steel
Height	1.2m, 1.8m, 2.4m
Width	2.85m
Wire diameter	3mm, 3.5mm, 4mm
Hole opening	50x100mm, 55x100mm
Frame square tube	25x25mm, 30x30mm
Horizontal square rail	20x20mm, 25x25mm, 30x30mm
Surface treatment	Epoxy polyester powder coated, pvc coated


Style



CTF-01



CTF-02



CTF-03

Accessories show



Clamp 1



Clamp 2



Wheel



Base 1



Base 2



Base 3

Edge Protection Barrier



Edge Protection Barrier


Common usage scenarios of edge protection systems: commercial construction, industrial construction, residential construction, infrastructure construction, concrete edge protection, steel edge protection timber frames edge protection.



A VERTICAL WIRE **B** HORIZONTAL WIRE **C** STEEL PLATE

Edge Protection Barrier	
Height	1.14m
Width	2.6m
Vertical wire	5mm
Horizontal wire	7mm
Post	Φ48×1.5mm
Surface	Powder coated

Style




Details



Crowd Control Barrier

Crowd Control Barrier

Ideal for: temporary walkways, public events, landscaping, road work construction, utility works, events.



- A** FRAME TUBE
Φ32×1.2mm
- B** PICKET
Φ16×1mm
- C** LUG
- D** FEET

Crowd Control Barrier	
Height	1m, 1.1m
Width	2.1m, 2.5m, 2.9m
Frame tube	25mm, 32mm, 38mm
Infill picket	12mm, 16mm, 20mm
Feet	Flat feet, cross feet, bridge feet
Surface	Galvanized or powder coated

Style



CCB-01



CCB-02



CCB-03



CCB-04


Details



Palisade Fence

Palisade Fence

Ideal for: yards, garden, airports, power plants & substations, petroleum & chemical facilities, factories



A FISH PLATE **B** PALE **C** POST **D** SCREW **E** ANGLE RAIL

Palisade Fence	
Height	1.2-3m
Width	2.75m(17 pales)
Pale width	62mm,65mm,68mm,72mm
Pale thickness	2-4mm
Angle rail	40x40mm,50x50mm
Post size(IPE)	100x55mm,120x74mm,100x68mm
Post size(SHS)	80x80x3mm thick,100x100x4mm thick
Surface treatment	Hot dipped galvanized+powder coated(RAL 9005,6005,7016 etc)

Style




Details




Detail

Head Types of Angle Steel Pales



Head types of W&D Section Pales



Angle section

D section

W section




Cattle panel



Cattle Panel

main features: portable, robust, environment protecting livestock protection, cost-effective.



- A** VERTICAL TUBE 40×40/50×50mm
- B** OVAL RAIL 30×60mm
- C** LUG
- D** BASE PLATE

Cattle Panel	
Height	1.8m
Width	2.1m
Vertical square tube	40×40mm, 50×50mm
Oval rail	30×60mm, 40×80mm, 42×115mm
Accessories	U lug, L lug and cap are welded on panel, Pins included
Surface	Galvanized

Style



CP-01



CP-02



CP-03



CP-04

Accessories show



Lug



Pin



Base plate




Horse panel



Horse Panel

Main features: portable, robust, environment protecting livestock protection, cost-effective.



- A** VERTICAL TUBE **B** HORIZONTAL TUBE **C** LUG **D** BENDING OF THE FOOT **D** VERTICAL BRACE TUBE

Horse Panel	
Height	1.5, 1.8m
Width	2.4, 3, 3.6, 4.2, 4.8m
Vertical tube	Φ32mm, Φ42mm, Φ48mm
Horizontal tube	Φ32mm, Φ42mm, Φ48mm
Vertical brace tube	Φ25mm, Φ38mm, Φ32mm, Φ42mm
Accessories	Lug and cap are welded on panel, Pins included, etc.
Surface	Galvanized, powder coated

Style



HP-01



HP-02



HP-03



HP-04


Details



Sheep panel

Sheep Panel

Main features: portable, robust, environment protecting livestock protection, cost-effective.



- A** VERTICAL TUBE 40×40mm
- B** OVAL RAIL 30×60mm
- C** LUG
- D** BASE PLATE

Sheep Panel	
Height	1m, 1.1m, 1.2m
Width	2.1m, 2.8m
Vertical square tube	40×40mm
Oval rail	30×60mm
Accessories	U lug, L lug and cap are welded on panel, Pins included
Surface	Galvanized

Style



SP-01



SP-02



SP-03



SP-04

Accessories show



Lug



Pin



Base plate

Steel Fence Gate

Steel Fence Gate

Secure your property with a beautiful, durable galvanized wire mesh fence gate. From Dual Swing Driveway Gates to Automated Gate kits, shop with HAI AO to find the right style gate for you and the security of your home.



- A** FRAME TUBE **B** LOCK **C** POST **D** GATE PICKET

Steel Fence Gate	
Height	1.8m, 2.1m, 2.4m
Width	3m, 4m, 6m, 10m, 16m
Gate frame tube	40x60mm, 60x60mm
Gate picket	19x19mm, 25x25mm
Accessories	gate post, lock, hinge, electric motor and controller, etc.
Surface	galvanized or powder coated
Gate type	swing or sliding

Style



SFG-01



SFG-02



SFG-03



SFG-04


Details



Wire Mesh Fence Gate

Wire Mesh Fence Gate

Secure your property with a beautiful, durable galvanized wire mesh fence gate. From Dual Swing Driveway Gates to Automated Gate kits, shop with HAIAO to find the right style gate for you and the security of your home.



Wire Mesh Fence Gate	
Height	1.8m, 2.1m, 2.4m
Width	3m, 4m, 6m, 10m, 16m
Gate frame tube	40x60mm, 60x60mm
Mesh hole	50x50mm, 50x200mm, 76.2x12.7mm
Accessories	gate post, lock, hinge, electric motor and controller, etc.
Surface	galvanized or powder coated
Gate type	swing or sliding

Style



WMFG-01



WMFG-02



WMFG-03



WMFG-04

Details

